## **Clinical Image**

## T-wave Inversion after a Pacemaker Implantation

Aizawa  $Y^{1,2*}$ , Tanaka  $T^2$ , Komura  $S^2$  and Funazaki  $T^2$ 

<sup>1</sup>Department of Cardiology, Keio University School of Medicine, Tokyo, Japan

<sup>2</sup>Department of Cardiology, Saiseikai Kawaguchi General Hospital, Saitama, Japan

\*Corresponding author: Yoshiyasu Aizawa, Department of Cardiology, Keio University School of Medicine, 35 Shinanomachi, Shinjuku-ku, Tokyo 160-8582, Japan

**Received:** December 03, 2014; **Accepted:** September 10, 2015; **Published:** October 08, 2015

## **Clinical Image**

An 80-year-old female was implanted with dual chamber pacemaker due to symptomatic sick sinus syndrome. Her preoperative ECG showed complete right bundle-branch block with T-Wave Inversion (TWI) only at V1-3 leads. (A) Her ECG showed




Figure A: Her ECG showed global T-wave inversion one week after pacemaker implantation.




Figure B: The patient was asymptomatic and echocardiography revealed no evidence of myocardial ischemia.





Figure C: The direction of TWI was consistent with that of paced QRS-complex (B. C) and disappeared one month later.



**Figure D:** Clinicians should rule out myocardial ischemia when TWI develops but need to aware of this curious phenomenon to prevent unnecessary examination for differential diagnosis.

global T-wave inversion one week after pacemaker implantation (B). The patient was asymptomatic and echocardiography revealed no evidence of myocardial ischemia.

Cardiac memory has been known for many years [1]. It is a unique phenomenon of electrical remodeling following periods of abnormal ventricular activation including ventricular pacing, intermittent left bundle-branch block, and pre-excitation due to WPW syndrome [2]. This patient was performed ventricular pacing by short A-V interval for several days after pacemaker implantation. (C) The direction of TWI was consistent with that of paced QRS-complex (B, C) and disappeared one month later (D). Clinicians should rule out myocardial ischemia when TWI develops but need to aware of this curious phenomenon to prevent unnecessary examination for differential diagnosis.

Aizawa Y Austin Publishing Group

## References

- Chatterjee K, Harris AM, Davies JG, Leatham A. T-wave changes after artificial pacing. Lancet. 1969 Apr 12; 1: 759-760.
- Rosenbaum MB, Blanco HH, Elizari MV, Lázzari JO, Davidenko JM. Electro tonic modulation of the T wave and cardiac memory. Am J Cardiol. 1982 Aug; 50: 213-222.

Austin J Clin Cardiolog - Volume 2 Issue 2 - 2015

ISSN: 2381-9111 | www.austinpublishinggroup.com

Aizawa et al. © All rights are reserved

Citation: Aizawa Y, Tanaka T, Komura S and Funazaki T. T-wave Inversion after a Pacemaker Implantation. Austin J Clin Cardiolog. 2015; 2(2): 1041.