

Clinical Image

Palatal Perforation in HIV

Rao DS^{1*}, Pandya M¹, Annigeri RG², Ujwala¹, Rao PK¹ and Kini R¹

¹Department of Oral Medicine and Radiology, A J institute of Dental Sciences, India

²Department of Oral Medicine and Radiology, College of Dental Sciences, India

*Corresponding author: Dhanya S Rao, Department of Oral Medicine and Radiology, A J institute of Dental Sciences, Kuntikana, Mangalore – 575004, India

Received: August 26, 2016; Accepted: September 20, 2016; Published: September 22, 2016

Clinical Image

A 50 year old patient reported to the department with pain in the palate since 2 months. History of nasal regurgitation on eating and inability to blow air was reported by the patient. Medical, Family history were non contributory [1-4]. On intraoral examination palatal perforation was seen in the patient, along with sloughing of the nasal floor. Patient was provisionally diagnosed of deep fungal infection and sent for blood investigation which included HIV and syphilis. Chest X ray was advised. Smear was taken from the perforated area. Patient was diagnosed HIV positive, and smear revealed mixed fungal infection. Patient currently referred to HAART therapy.

References

1. Rao DS, Ali IM, Annigeri RG. Bite marks a review. Journal of Dental Research and Review. 2016; 3: 31-35.



2. Normocalcemic hyperthyroidism Normocalcemic hyperparathyroidism manifesting as brown tumor of mandible: A case report. Journal of Orofacial Sciences. 2016; 8: 74-76.
3. Rao DS, Ali IM, Annigeri RG. Evaluation of diagnostic value of AgNOR and PAP in early detection of dysplastic changes in leukoplakia and lichen planus a preliminary case control study. J Oral Pathol Med. 2016.
4. Rao DS, Kalappanavar AN, Ali IM, Annigeri RG. Verrucous carcinoma- Case report and review. Contemporary clinical dentistry. 2016; 7: 391-393.